



RAPIDPOST

DESCRIPTION

King RapidPost is a ready to use, rapid setting concrete mix designed especially for setting posts and poles.

USES

To be used for setting posts and poles. **Should not be used to construct walks, floors, slabs, footings, etc.**

DIRECTIONS

1. Dig hole with auger or shovel to required depth. Allow 2 inches clearance on each side of post. A typical 4 x 4 post will require an 8" diameter.
2. Position the post in hole. Fill with RapidPost and water simultaneously (2.8 litres per bag) and agitate with rod or stick.
3. Align the post. Use a level and check vertical position of post. There is no need to brace. RapidPost will stiffen almost immediately and reach initial set in 30 minutes to 1 hour.

CURING

Allow newly placed material to set until surface is hard to the touch. Then cover with plastic to prevent evaporation of mixing water. Post can be used after 3 hours.

PACKAGING

Packaged in 30 kg (66 lb) multi-ply, moisture proof bags.

RAPID CALCULATIONS

Posts	4" x 4"
Hole Diameter	8"

DEPTH	BAGS
18" (46 cm)	1
24" (61 cm)	1 ¼
30" (76 cm)	1 ½
36" (91 cm)	1 ¾

IMPORTANT

Store in a dry place.

CAUTION

Avoid contact with eyes. Avoid ingestion or inhalation. Contains cement which, when mixed with water, forms a calcium hydroxide solution. Avoid contact with skin, including contact with saturated clothing.

FIRST AID TREATMENT: If splashed in eyes or on skin, flush thoroughly with water.