

SAKRETE®

MORTAR MIX

DESCRIPTION

A ready to use mixture of sand and masonry cement. Ingredients are mixed to meet specified strength requirements.

USES

For laying brick, concrete block or field stone in construction of chimneys, walls, planters, outdoor grills, etc. For pointing up or repairing brick walls.

DIRECTIONS

Empty contents of sack into a mortar box, wheel barrow or onto a smooth surface. Form a crater for adding water. Add clean water at the rate of 4 litres (3 ½ quarts) per 30 kg bag and mix thoroughly. If mortar is too stiff, add more water, a cupful at a time. Avoid a soupy mix. In cold weather, use warm water to accelerate the set. Protect from freezing until cured. Wet bricks thoroughly before laying. Blocks should be laid dry.

Laying Concrete Block — Before setting concrete block in position on mortar bed, butter end with mortar.

Laying Brick — Lay brick into position after buttering end. Tap into place. Be sure to level.

Tuck Pointing — When pointing up old masonry, remove loose mortar, clean and moisten joints, Apply SAKRETE Mortar Mix with a pointing trowel.

PACKAGING

Packaged in 30 kg (66 lb) multi-ply, moisture proof bags.

BAG COVERAGE

30 kg (66 lb) bag approximately 12 blocks or 33 bricks with a .95 cm ($\frac{3}{8}$ inch) joint.

SPECIFICATIONS

Exceeds strength requirements of A.S.T.M. Spec. C-387 for type N mortar when used as directed.

IMPORTANT

Store in a dry place

CAUTION

Avoid contact with eyes. Avoid ingestion or inhalation. Contains cement which when mixed with water, forms a calcium hydroxide solution. Avoid contact with skin, including contact with saturated clothing.

FIRST AID TREATMENT: If splashed in eyes or on skin, flush thoroughly with water.